



CENTRO DE I&D EM MATEMÁTICA E APLICAÇÕES CENTER FOR R&D IN MATHEMATICS AND APPLICATIONS

## SEMINAR

## Grupo de Análise Funcional e Aplicações Functional Analysis and Applications Group

## A necessary condition for the boundedness of the maximal operator on $L^{p(\cdot)}$ over reverse doubling spaces of homogeneous type

Alina Shalukhina

Universidade NOVA de Lisboa

## Abstract

A space of homogeneous type  $(X, d, \mu)$  is a quasi-metric space (X, d) endowed with a doubling Borel measure  $\mu$ . When comparing quasi-metric spaces to the classical metric spaces, one may perfectly use the ironical saying that "the former are just like the latter except when they are not". Even though their definitions differ only in the triangle inequality, somewhat weakened in the case of a quasi-metric, this little modification leads to unexpected topological properties, such as: in quasi-metric spaces, balls are not necessarily open sets. So first, we will discuss some peculiarities of spaces of homogeneous type as a setting for analysis. Then a necessary condition for boundedness of the Hardy-Littlewood maximal operator M on variable Lebesgue spaces  $L^{p(\cdot)}(X, d, \mu)$  will be presented and proved - however, with the additional requirement on the measure  $\mu$  also to be reverse doubling. Although addressing the special case, this necessary condition is new and still one of a kind. In the Euclidean setting, it has long been known that if M is bounded on  $L^{p(\cdot)}(\mathbb{R}^n)$ , then necessarily  $p_{-}(\mathbb{R}^n) > 1$ , where

$$p_{-}(X) := \operatorname{ess\,inf}_{x \in X} p(x)$$

is the essential lower bound of the exponent function  $p(\cdot)$ . Surprisingly, nothing like this is known in literature for spaces of homogeneous type. We prove that in the setting of the reverse doubling spaces  $(X, d, \mu)$ , the maximal operator is not bounded on  $L^{p(\cdot)}(X, d, \mu)$  when  $p_{-}(X) = 1$ . This is a joint work with Dr. Oleksiy Karlovych.

> Room Sousa Pinto September 19, 2024 - 17:00

This seminar is supported in part by the Portuguese Foundation for Science and Technology (FCT - Fundação para a Ciência e a Tecnologia), through CIDMA - Center for Research and Development in Mathematics and Applications, within project UIDB/04106/2020 (https://doi.org/10.54499/UIDB/04106/2020).

Fundação para a Ciência e a Tecnologia

